




3/12











5/12


FIG.7



6/12



Substance P endoproteolysis (100nM) by human cell membranes (17 µg prot.) in presence of YQRFSR (175µM)








FIG.8



8/12


 -16.10



A405x1000/min/ μ g membrane protein = 4,066 - ,028 * [QRFSR], μ M; R² = 0,926, n = 22

9/12

FIG. 11




RFU / min / μ g membrane protein = 686,972 - 9,404 * [QRFSR], μ M; R^2 = 0,884, μ = 29

10/12

Pain behavior:	Vehicle	0.5 mg/kg LV.	1 mg/kg l.V.
Duration of paw licking	(n = 8)	(n = 8)	(n = 8)
during the 0-20 min phase of formalin test $F(2,21) = 4.42$; p = 0.025	144.13 ± 17.42	97.13±13.70* t = 2.12; p=0.052	84.25 ± 13.53* t = 2.71; p = 0.017
20-40 min. phase	175.13 ± 10.45	123.50 ± 15.04*	121.13±22.26*
F(2,21) = 3.36 ; p = 0.054		t = 2.82; p = 0.014	t=2.20;p=0.045
40-60 min. phase	63.00 ± 12.65	12.13 ± 3.44*	8.75±2.90*
F(2,21) = 15.37 ; p = 0.0001		t = 3.88; p = 0.002	t=4.18;p=0.001

VéhicleYQRFSR/0.5 mg/kgYQRFSR/1 mg/kg



(*) Dunnett' t test vs vehicle

Duration of paw licking, sec

11/12

Pain behavior: Number of spasms	Vehicle (n = 8)	0.5 mg/kg (n = 8)	1 mg/kg (n = 8)
during the 0-20 min phase of formalin test $F(2,21) = 1.07$; p = 0.361	23.75 ± 5.15	33.13±11.25	18.13±2.77
20-40 min. phase F(2,21) = 4.39 ; p = 0.026	91.50 ± 18.67	79.75 ± 9.59	39.13±8.67* t=2.54;p=0.023
40-60 min.phase F(2,21) = 8.29 ; p = 0.002	126.38 ± 13.69	103.75±13.86	60.88 ± 4.60* t = 4.54; p = 0.005

(*) Dunnett't test vs vehicle

Number of spasms

Vehicle
YQRFSR/0.5 mg/kg

